

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	"6542729".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 16:44
L6	0	I5 and (card\$2 or smartcard\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 16:46
L7	4	(smartcard\$2 or smart adj card\$2) with unblock\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 16:46
L9	1	"20030037259".pn. and pair	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 19:26
S1	3317	713/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:38
S2	1895	S1 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:00
S3	2	"6005942".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:01
S4	2	"5068894".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:01

S5	2	"5534857".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:01
S6	2	"5742756".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:02
S7	2	"5838251".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:03
S8	2	"5850442".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:04
S9	2	"5907804".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:10
S10	2	"5943423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:10
S11	2	"6138239".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 15:28
S12	528	unblock\$3 with (physical\$4 or meeting or person\$5 or face-to-face or face or remote\$2 or client\$5) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:26

S13	456	unlock\$3 with (physical\$4 or meeting or personally or face-to-face or face or remote\$2 or client\$5) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:27
S14	5	unlock\$3 near (smartcard or card or secur\$3 or device) with (physical\$4 or meeting or personally or face-to-face or face or remote\$2 or client\$5) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:42
S15	2	"20020138445".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:34
S16	2	S15 and unlock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:34
S17	1	"5907804".pn. and unlock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:40
S18	57	(unlock\$3 or un-block\$3) with (smartcard or card or secur\$3 or device) with (physical\$4 or meeting or personally or face-to-face or face or remote\$2 or client\$5) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 13:37
S19	1485	(reset\$4) with (smartcard or card or secur\$3 or device) with (physical\$4 or meeting or personally or face-to-face or face or remote\$2 or client\$5) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:48
S20	474	(reset\$4) near2 (smartcard or card or secur\$3 or device) with (physical\$4 or meeting or personally or face-to-face or face or remote\$2 or client\$5) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:48

S21	32	(reset\$4) near2 (smartcard or card or secur\$3 or device) with (physical\$4 or meeting or personally or face-to-face or face or remote\$2 or client\$5) same (password\$2 or code\$2) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:49
S22	2	"20030037259".pn. and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 13:27
S23	440	(unblock\$3 or un-block\$3) near3 (smartcard or card or device) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:52
S24	19633	(unblock\$3 or un-block\$3 or reset\$4) near3 (smartcard or card or device) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 13:38
S25	96	((unblock\$3 or un-block\$3) and (smartcard or card or device)).ti. and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 13:44
S26	378	S23 not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 13:44
S27	14005	((reset\$4 or \$3enabl\$3) and (smartcard or card or device)).ti. and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 13:45
S28	71	((reset\$4 or \$3enabl\$3) and (smartcard\$2 or smart near card\$2)).ti. and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 13:45

S29	2068	(\$3lock\$3 or reset\$4 or re-enabl\$3 or reenabl\$3) near3 (smartcard or card or device) same ((\$3lock\$3 or reset\$4 or re-enabl\$3 or reenabl\$3) with (service or server)) and @ad<"20010820" not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:10
S30	770	(\$3lock\$3 or reset\$4 or re-enabl\$3 or reenabl\$3) near (smartcard or card or device) same ((\$3lock\$3 or reset\$4 or re-enabl\$3 or reenabl\$3) with (service or server)) and @ad<"20010820" not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:11
S31	103	(\$3lock\$3 or reset\$4 or re-enabl\$3 or reenabl\$3) near (smartcard or card or (security with device)) same ((\$3lock\$3 or reset\$4 or re-enabl\$3 or reenabl\$3) with (service or server)) and @ad<"20010820" not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:11
S32	31	(unblock\$3 or un-block\$3) near2 service and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:58
S33	26	(unblock\$3 or un-block\$3) near (service or server) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 15:17
S34	22	(unblock\$3 or un-block\$3) same password and password and @ad<"20010820" not S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 15:42
S35	2	"5003594".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 15:17
S36	903	(unlock\$3 or un-lock\$3) same password and @ad<"20010820" not S33 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 15:43

S37	652	(unlock\$3 or un-lock\$3) with password and @ad<"20010820" not S33 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 16:29
S38	2	"6490601".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 16:29
S39	2	"5590038".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 08:05
S40	0	EP820207.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 08:05
S41	4	"820207".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 15:04
S42	2	"5237614".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 08:20
S43	1	"19941550".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 08:32
S44	2	"6877097".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:14

S45	1720	(unblock\$3 or unlock\$3) near (system or service) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:56
S46	209	(unblock\$3 or unlock\$3) near (system or service) same (compar\$3 or "same" or match\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 11:13
S47	2	"6138239".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 11:08
S48	8	(unblock\$3 or unlock\$3) near (service) same (compar\$3 or "same" or match\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 11:14
S49	8769	(unblock\$3 or unlock\$3) with (compar\$3 or "same" or match\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 11:15
S50	177	S49 and ("380"/\$.ccls. or "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 12:32
S51	2	"20030037259".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 12:33
S52	2	S51 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 12:38

S53	283	713/153.ccls. and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 12:42
S54	75	S53 and (unlock\$3 or unblock\$3 or activat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 13:02
S55	216	(713/182.ccls. or 713/183.ccls.) and @ad<"20010820" and (activat\$3 or unblock\$3 or unlock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 13:41
S56	183908	(compar\$3 or "same" or match\$3) same (activat\$3 or unlock\$3 or unblock\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 13:46
S57	6207	(compar\$3 or "same" or match\$3) same (activat\$3 or unlock\$3 or unblock\$3) near2 (device or card) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 13:47
S58	4981	("same" or match\$3) same (activat\$3 or unlock\$3 or unblock\$3) near2 (device or card) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 13:48
S59	1907	("same" or match\$3) with (activat\$3 or unlock\$3 or unblock\$3) near2 (device or card) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 13:52
S60	184	("same" or match\$3) with (activat\$3 or unlock\$3 or unblock\$3) near2 (device or card) same (password or code\$2) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 13:52

S61	125	("same" or match\$3) with (password or code\$2) with (activat\$3 or unlock\$3 or unblock\$3) near2 (device or card) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 13:52
S62	12	"5572571".pn. "5557676".pn. "5329578".pn. "5301234".pn. "5301223".pn. "5077790".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 15:36
S63	723	check\$3 near2 periodically and (ESN or MIN) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 15:37
S64	6	check\$3 near2 periodically with (ESN or MIN) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 15:50
S65	542	periodically with (ESN or MIN) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 15:51
S66	12	periodically with (ESN or MIN) with generat\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 15:54
S67	0	periodically with (ESN or MIN) with generat\$3 and @ad<"20010820" and (mobile with identification with number\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 15:54
S68	1	periodically with (ESN) with generat\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:00

S69	0	check\$3 with periodically with password near generat\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:01
S70	13	check\$3 with periodically with password and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:03
S71	4	periodically with password near generat\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:07
S72	296	periodically with (code or password) near2 generat\$3 and @ad<"20010820" not S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:08
S73	173	periodically with (code or password) near generat\$3 and @ad<"20010820" not S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:08
S74	5	periodically with (code near ((security or authentication) or password)) near generat\$3 and @ad<"20010820" not S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:10
S76	41	periodically with (code near ((security or authentication) or password)) and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:10
S78	4	(check\$3 or poll\$3) near2 periodically with (code near ((security or authentication) or password)) and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:31

S79	28	check\$3 near2 frequenc\$3 and (code near ((security or authentication) or password)) and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:15
S80	1	check\$3 near2 every near2 second\$2 and (code near ((security or authentication) or password)) and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:18
S81	24	check\$3 near2 periodic\$4 and password near2 generat\$4 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:19
S82	1	check\$3 near2 periodic\$4 with password near2 generat\$4 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:47
S83	265	check\$3 near2 periodic\$4 with generat\$4 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:19
S84	54	check\$3 near2 periodic\$4 near2 generat\$4 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:20
S85	11	check\$3 near2 periodic\$4 near2 generated and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:22
S86	24	check\$3 near2 frequenc\$3 near2 generated and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:22

S87	1	poll\$3 with password near2 generat\$3 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:34
S88	981125	check\$3 every near2 (second\$2 or day\$2) with password near2 generat\$3 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:35
S89	1	check\$3 with every near2 (second\$2 or day\$2) with password near2 generat\$3 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:43
S90	0	check\$3 with period near2 time with password near2 generat\$3 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:43
S91	11	period near2 time with password near2 generat\$3 and @ad<"20010820" not S71 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:44
S92	0	unlock\$3 near code with (smartcard or (smart near card)) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:48
S93	1	unlock\$3 near signal with (smartcard or (smart near card)) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:51
S94	2	"6804699".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:53

S95	1	S94 and period\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:02
S96	2	"6804699".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:02
S97	0	S96 and (card or smartcard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:02
S98	0	S96 and (card\$2 or smartcard\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:03
S99	11	"6542729".pn. "6362736".pn. "6333684".pn. "6300863".pn. "5757271".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:05
S10 0	4	S99 and (unlock\$3 or unblock\$3 or activat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:09
S10 1	7	S99 not S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:09
S10 2	18	check\$3 near2 (particular or certain or configurable) near2 frequency and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:18

S10 3	9509	check\$3 near2 periodic\$4 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:18
S10 4	8135	check\$3 near periodic\$4 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:19
S10 5	173	check\$3 near periodic\$4 with produc\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:20
S10 6	27	check\$3 near periodic\$4 with produced and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:23
S10 7	441	check\$3 near periodic\$4 with status and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:25
S10 8	19	check\$3 near periodic\$4 with update\$2 with status and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:34
S10 9	1	check\$3 near periodic\$4 same password with generat\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:35
S11 0	38	(periodic\$4 or frequency) with generat\$ near yet and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:39

S11 1	4	(periodic\$4) with generat\$ near yet and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:40
S11 2	0	continually with generat\$ near yet and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:40
S11 3	49721	(continually or continuously) with generat\$ and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:40
S11 4	7	(continually or continuously) with password near2 generat\$ and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:42
S11 5	0	(continually or continuously) near2 check\$3 with password near2 generat\$ and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:42
S11 6	5	(continually or continuously) near2 check\$3 with password and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:44
S11 7	162	(continually or continuously) near2 check\$3 with generat\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:44
S11 8	2	(user or client) near2 (continually or continuously) near2 check\$3 with generat\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:44

S11 9	0	check\$3 near configurable adj frequency and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:22
S12 0	27	configurable adj frequency and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:23
S12 1	2	"6542729".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:29
S12 2	2369	permanently near (block\$2 or lock\$2) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:30
S12 3	89	permanently adj (block\$2 or lock\$2) same (unblock\$3 or unlock\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:31
S12 4	7	(check\$3 or determin\$3) with permanently adj (block\$2 or lock\$2) same (unblock\$3 or unlock\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:32
S12 5	27	(check\$3 or determin\$3) with permanently adj (block\$2 or lock\$2) and @ad<"20010820" not S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:33
S12 6	0	(verif\$4) with permanently adj (block\$2 or lock\$2) and @ad<"20010820" not S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:33

S12 7	0	(verif\$4) with permanently adj (block\$2 or lock\$2 or deactivat\$3) and @ad<"20010820" not S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:34
S12 8	1	(check\$3 or determin\$3) with permanently adj (block\$2 or lock\$2 or deactivat\$3) and @ad<"20010820" not S124 not S125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:55
S12 9	64	generat\$3 near new near password and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:05
S13 0	1047	generat\$3 near password and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:05
S13 2	131	generat\$3 near password with transmit\$3 and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:08
S13 3	6	(check\$3 or determin\$4 or verif\$4) near2 permanently near2 (block\$3 or lock\$3 or disabled or deactivat\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:17
S13 4	5007	permanently near2 (block\$3 or lock\$3 or disabled or deactivat\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:17
S13 5	3454	permanently near (block\$3 or lock\$3 or disabled or deactivat\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:20

S13 6	0	mak\$3 near sure with permanently near (block\$3 or lock\$3 or disabled or deactivat\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:18
S13 7	0	"not" with permanently near (block\$3 or lock\$3 or disabled or deactivat\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:18
S13 8	213	(check\$3 or determin\$3 or confirm\$3 or verif\$4) with temporarily near (block\$3 or lock\$3 or disabled or deactivat\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:19
S13 9	27	(check\$3 or determin\$3 or confirm\$3 or verif\$4) near2 temporarily near (block\$3 or lock\$3 or disabled or deactivat\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:19
S14 0	9	(check\$3 or determin\$3 or confirm\$3 or verif\$4) near2 temporarily near (blocked or lock\$3 or disabled or deactivat\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:20
S14 1	1856	permanently near (blocked or locked or disabled or deactivated) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:21
S14 2	1689	permanently adj (blocked or locked or disabled or deactivated) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:24
S14 3	41	S142 and ("713"/\$.ccls. or "380"/\$.ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:23

S14 4	113	permanently adj (blocked or locked or disabled or deactivated) same (check\$3 or determin\$3) and @ad<"20010820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:25
S14 5	18	S143 and S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:25